

# PRODUCT INFORMATION

# ANGLER

ANGLER INDUSTRIES, INC.  
61 Industrial Park Rd • PO Box 217  
Sterling, CT 06377  
860-564-0080 • FAX 860-564-3598  
[www.anglerindustries.com](http://www.anglerindustries.com)



## RUST PREVENTIVE 6008 (Thin Film, Water Displacing Rust Preventive)

### DESCRIPTION

Angler **RUST PREVENTIVE 6008** is a highly penetrating, water displacing rust preventive which leaves a thin oily, transparent film that does not gum. This film resists oxidation and is non-staining so that it may be used safely on all metals.

Its low viscosity assures penetration of crevices and pores for complete surface coverage; and it actually lifts water from metal surfaces, forming a thin film which continues to serve as a protection barrier. Both the fluid and the ultimate film formed exhibit good dielectric properties.

### APPLICATION

**RUST PREVENTIVE 6008** is an excellent preservative for work-in-process, idle or stored machine tools, finished parts, molds or packaged materials such as tools, dies, fixtures, instruments, gauges, jigs or bearings. It is effective in preventing electrical shorting in starting up wet motors and in protecting against shorts in electric motors exposed to high humidity.

**RUST PREVENTIVE 6008** can be satisfactorily applied by spray, brush or dip.

### PROPERTIES

Gravity, °API @ 60°F	42.5
Density, lbs/gal @ 60°F	6.51
Viscosity, SSU @ 100°F	38.6
Flash Point, °F (Typical)	176 <sup>0</sup> F

### CAUTION

Contains petroleum distillate. Do not expose to open flame. Harmful or fatal if swallowed. Do not induce vomiting. Call a physician. Avoid prolonged or repeated breathing of vapor and contact with the skin.

The data in this Product Information sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. The information set forth herein is furnished free of charge and is based on technical data that **Angler** believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information. Nothing herein is to be taken as license to operate under or a recommendation to infringe any patents.