PRODUCT INFORMATION



ANGLER INDUSTRIES, INC.

61 Industrial Park Rd • PO Box 217 Sterling, CT 06377 860-564-0080 • FAX 860-564-3598





BioVis 15

BioVis 15 is a high performance vegetable oil formula engineered to be used in place of the mineral based hydraulic fluids in environmentally sensitive areas.

BioVis 15 conforms to **MIL- PRK- 32073** hydraulic fluid Grade 1. It provides the needed characteristics of anti wear, anti foam, anti rust, anti oxidation, and demulsibility as well as seal swell.

BioVis 15 is inhibited against moisture and prevents rusting in fresh and sea- water applications. It is used as a hydraulic fluid and lubricant where low toxicity, high flash point and biodegradability are desired.

The high lubricity value of **BioVis 15** helps reduce friction and wear thereby reducing maintenance and down time as well as less energy consumption.

To convert a system simply drain and recharge to achieve biodegradability most all of the mineral oil should be removed. Flushing is not required. Change any filters. Fluid should be analyzed over time to determine the optimum change interval.

BioVis 15 is designed to be compatible with most common seal materials.

BioVis 15 is non-toxic, environmentally friendly, and made from renewable resources.

Thank you for doing your part for the environment.

The data in this Product Information sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. The information set forth herein is furnished free of charge and is based on technical data that **Angler** believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information. Nothing herein is to be taken as license to operate under or a recommendation to infringe any patents.